

L Number	Hits	Search Text	DB	Time stamp
1	14598	((plural\$4 array many multip\$4 several) near3 pad).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:13
2	883	((plural\$4 array many multip\$4 several) near3 pad).clm.) and capacit\$4.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:14
3	80	((((plural\$4 array many multip\$4 several) near3 pad).clm.) and capacit\$4.clm.) and (orthogonal\$5 perpendicular\$5).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:15
4	40	(((((plural\$4 array many multip\$4 several) near3 pad).clm.) and capacit\$4.clm.) and (orthogonal\$5 perpendicular\$5).clm.) and (detect\$4 sens\$4 estimat\$4 evaluat\$4 determin\$4 measur\$4 transduc\$4 cell meter\$4 gauge gage monitor\$4 estimat\$4).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:16
5	0	((((((plural\$4 array many multip\$4 several) near3 pad).clm.) and capacit\$4.clm.) and (orthogonal\$5 perpendicular\$5).clm.) and (detect\$4 sens\$4 estimat\$4 evaluat\$4 determin\$4 measur\$4 transduc\$4 cell meter\$4 gauge gage monitor\$4 estimat\$4).clm.) and eletrode.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:34
6	206	((plural\$4 array many multip\$4 several) near3 pad).clm.) and ((detect\$4 sens\$4 estimat\$4 evaluat\$4 determin\$4 measur\$4 transduc\$4 cell meter\$4 gauge gage monitor\$4 estimat\$4) near4 electro\$4).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:18
7	138	((plural\$4 array many multip\$4 several) near3 pad).clm.) and ((detect\$4 sens\$4 estimat\$4 evaluat\$4 determin\$4 measur\$4 transduc\$4 cell meter\$4 gauge gage monitor\$4 estimat\$4) near4 capacit\$4).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:18
8	18	((((((plural\$4 array many multip\$4 several) near3 pad).clm.) and capacit\$4.clm.) and (orthogonal\$5 perpendicular\$5).clm.) and (detect\$4 sens\$4 estimat\$4 evaluat\$4 determin\$4 measur\$4 transduc\$4 cell meter\$4 gauge gage monitor\$4 estimat\$4).clm.) and electrode.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:34
-	124	73/862.046.ccls. 901c 3100	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:36
-	8205	pixel\$4 near4 capacit\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 14:38
-	2	(pixel\$4 near4 capacit\$5) same ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) same (pependicular\$4 orthogonal\$4 right?angled)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 14:50
-	3	(pixel\$4 near4 capacit\$5) and ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) same (pependicular\$4 orthogonal\$4 right?angled)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 15:00

-	79	(pixel\$4 near4 capacit\$5) and ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) same ((pependicular\$4 orthogonal\$4 right?angled) or (column\$4 row))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 15:52
-	16473	capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 16:01
-	1	(capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4))) same ((pependicular\$4 orthogonal\$4 right?angled) and ((column\$4 row) near6 (electrode)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 16:12
-	2	(capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4))) and ((pependicular\$4 orthogonal\$4 right?angled) and ((column\$4 row) near6 (electrode))) and (dielectric near4 (elastic flexible bendable pliable pliant extensile stretch\$4 plastic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 16:47
-	3	(capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4))) and pixel and (dielectric near4 (elastic flexible bendable pliable pliant extensile stretch\$4 plastic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 16:22
-	2	4644801.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 16:22
-	6	("3565195"   "4134063"   "4405917"   "4437138"   "4526043"   "4581677").PN.	USPAT	2003/07/22 16:23
-	26	4644801.URPN.	USPAT	2003/07/22 16:25
-	48	73/862.337.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:36
-	188	73/862.626.ccls. 901L 1112	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:36
-	219	73/862.628.ccls. 1104	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:36
-	143	73/862.629.ccls. 1122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:36
-	557	73/718.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:36
-	2	(73/862.337.ccls. 73/862.626.ccls. 73/862.628.ccls. 73/862.629.ccls. 73/718.ccls.) and ((pependicular\$4 orthogonal\$4 right?angled) or ((column\$4 row) near6 (electrode))) and (dielectric near4 (elastic flexible bendable pliable pliant extensile stretch\$4 plastic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 16:49

-	1249	capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) same ((conducti\$4 near4 paint) or ((adhesive\$2 tape) near4 stripe conducti\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/24 16:37
-	1254	capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) same ((conducti\$4 near4 paint) or ((adhesive\$2 tape) near4 strip\$4 conducti\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/24 16:42
-	2	(capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) same ((conducti\$4 near4 paint) or ((adhesive\$2 tape) near4 strip\$4 conducti\$4))) same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/24 16:41
-	12	capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) same ((conducti\$4 near4 paint) or ((adhesive\$2 tape) near4 (strip\$4 conducti\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/24 17:09
-	18109	capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) ((conducti\$4 near4 paint) or ((adhesive\$2 tape) near4 (strip\$4 conducti\$4))) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/24 17:15
-	7	capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) and ((conducti\$4 near4 paint) or ((adhesive\$2 tape) near4 (strip\$4 conducti\$4))) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 14:09
-	18	capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) same ((conducti\$4 near4 paint) or ((adhesive\$2 tape) near4 (strip\$4 conducti\$4 metal\$4 electrode)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 14:42
-	876	capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) same ( metal\$4 conducti\$4 near4 paint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:36
-	14	(capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) same ( metal\$4 conducti\$4 near4 paint)) same (pixel row column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:35
-	11	capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) same ((metal\$4 conducti\$4) near4 (paste paint))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:44
-	1	capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) same (((metal\$4 conducti\$4) near4 (paste paint))) near10 dielectr\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 14:18
-	4	3814998.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 14:17

-	3	capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (((metal\$4 conducti\$4) near4 (paste paint)) near10 dielectr\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 14:51
-	3	capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) same (((metal\$4 conducti\$4) near4 (paste paint)) near10 dielectr\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 14:36
-	1	capacit\$4 near5 (sens\$4 transduc\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) same ((metal\$4 conducti\$4) near4 paint near10 dielectr\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 14:35
-	18	capacit\$4 near10 ((metal\$4 conducti\$4) near4 paint near10 dielectr\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 14:26
-	22	capacit\$4 near5 (sens\$4 transduc\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) same ((metal\$4 conducti\$4) near4 paint same dielectr\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 14:27
-	177	capacit\$4 near5 (sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) same ((metal\$4 electrode conducti\$4) near4 (adhesive tape))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 14:49
-	43	capacit\$4 near5 (sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 ((metal\$4 electrode conducti\$4) near4 (adhesive tape))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 14:50
-	45	capacit\$4 near5 (sens\$4 detect\$4 transduc\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 ((metal\$4 electrode conducti\$4) near4 (adhesive tape))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 14:51
-	16	("5010772" "5920454" "5723797" "4526043" "4437138" "4644801" "4134063").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 15:54
-	16	("5010772" "5920454" "5723797" "4526043" "4437138" "4644801" "4134063").pn.	USPAT; JPO; DERWENT	2003/07/30 15:54
-	7	("5010772" "5920454" "5723797" "4526043" "4437138" "4644801" "4134063").pn.	USPAT	2003/07/30 15:54
-	131	73/862.046.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:36
-	49	73/862.337.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:36

-	194	73/862.626.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:36
-	221	73/862.628.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:36
-	144	73/862.629.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:36
-	593	73/718.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:41
-	526	(73/862.046.ccls. 73/862.337.ccls. 73/862.626.ccls. 73/862.628.ccls. 73/862.629.ccls. 73/718.ccls. ) and (capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:57
-	31	((73/862.046.ccls. 73/862.337.ccls. 73/862.626.ccls. 73/862.628.ccls. 73/862.629.ccls. 73/718.ccls. ) and (capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)))) and (dielectric near4 (pad\$4 cushion\$4 cover\$4 llayer film))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 16:22
-	24	pixel\$4 and (capacit\$4 near5 (sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) and (dielectric near4 (pad\$4 cushion\$4 cover\$4 llayer film))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 16:21
-	43	pixel\$4 and (capacit\$4 near5 (sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)) and (dielectric near4 (pad\$4 cushion\$4 cover\$4 layer film))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 16:23
-	66	((73/862.046.ccls. 73/862.337.ccls. 73/862.626.ccls. 73/862.628.ccls. 73/862.629.ccls. 73/718.ccls. ) and (capacit\$4 near5 ((sens\$4 detect\$4 determin\$4 estimat\$4 asses\$4 measur\$4 meter\$4) near6 (force load\$4 pressur\$4 stress strain bend\$4 flex\$4)))) and (dielectric near4 (pad\$4 cushion\$4 cover\$4 layer film))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 16:23
-	318	((plural\$4 array multip\$4 many several) near2 dielectr\$4).clm.) and ((plural\$4 array multip\$4 many several) near2 capacit\$5).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:27
-	29	((((plural\$4 array multip\$4 many several) near2 dielectr\$4).clm.) and ((plural\$4 array multip\$4 many several) near2 capacit\$5).clm.)) and ((measur\$4 test\$4 detect\$4 determin\$4 sens\$4 identi\$4 evaluat\$4 estimat\$4 transducer gauge cell monitor\$4 comput\$4 inspect\$5 calculat\$4).clm.) and ((plural\$4 array multipl\$5 many several) near2 electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:32
-	2	6462932.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:53

L Number	Hits	Search Text	DB	Time stamp
1	11057	((plurality array many multipl\$5 several) near3 pad).clm.	USPAT; EPO; JPO	2004/08/02 10:06
2	595	((plurality array many multipl\$5 several) near3 pad).clm.) and capacit\$5.clm.	USPAT; EPO; JPO	2004/08/02 10:06
3	62	((plurality array many multipl\$5 several) near3 pad).clm.) and capacit\$5.clm.) and (orthogonal\$5 perpendicular\$5).clm.	USPAT; EPO; JPO	2004/08/02 10:07
4	30	((plurality array many multipl\$5 several) near3 pad).clm.) and capacit\$5.clm.) and (orthogonal\$5 perpendicular\$5).clm.) and (detect45 sens\$5 estimat\$5 evalut\$5 determin\$5 measur\$5 transducer cell meter gauge monitor\$5 ).clm.	USPAT; EPO; JPO	2004/08/02 10:09
5	14	((plurality array many multipl\$5 several) near3 pad).clm.) and capacit\$5.clm.) and (orthogonal\$5 perpendicular\$5).clm.) and (detect45 sens\$5 estimat\$5 evalut\$5 determin\$5 measur\$5 transducer cell meter gauge monitor\$5 ).clm.) and electrode.clm.	USPAT; EPO; JPO	2004/08/02 10:09

U. Noori